

Phone: 07 5532 5812

Email: ian@trmarine.com.au

167 Currumburra Rd Ashmore Queensland 4214



## Mercury 60 EFI FormulaRace

POA

# Specifications

#### **Boat Details**

Price POA Boat Brand Mercury Model 60 EFI FormulaRace Length 0.00

Year 2023 Category Boat Engines and Outboards

Hull Style Hull Type

Power Type Stock Number 0

Condition New State New South Wales

Suburb MCGRATHS HILL Engine Make Mercury

#### Disclaimer



Phone: 07 5532 5812

Email: ian@trmarine.com.au

167 Currumburra Rd Ashmore Queensland 4214

### **Description**

SPECIFICATIONS

Mercury 60 EFI FormulaRace - Mercury Racing is pleased to announce the introduction of the all-new Mercury 60 EFI FormulaRace outboard. The 60 h.p. in-line four-cylinder engine expands Racing's breadth of low-emissions 4-strokes; an offspring of the venerable Verado 350 SCi outboard. The two join Mercury Racing's line of OptiMax "XS" series of low-emissions 2-stroke consumer outboards.

The engine, built at Mercury Marine's state-of-the-art outboard manufacturing facility in Suzhou, China, was designed specifically to meet increasing demand for engines in support of the popular Mercury FormulaFour outboard tunnel boat racing series. The series, featuring one-design 14-foot tunnel race boats powered by a production Mercury 60 EFI 4-Stroke outboard, was originated by Brunswick Marine Sweden and their dealer Mikael Frodé.

Although racing is basically exempt from emissions regulations, event promoters are beginning to realize that they need to create new classes and/or update existing boats with emissions compliant power. The 60 EFI FormulaRace provides racers and promoters with an affordable modern engine which is also environmentally responsible. Racing communities throughout Germany, Poland, China and the Middle East have expressed interest in the Mercury FormulaFour series.

SI ECITICATIONS
HP @ Prop □□□60
kW @ Prop □□□44.1
Max RPM (WOT) □□□5500-6000
Cylinder/Configuration □□□4 (in-line)
Displacement (CID/cc) [[]60.8/995
Bore & Stroke (in) □□□2.56 x 2.95
Bore & Stroke (mm) □□□65 x 75
Cooling System [][]Water-cooled w/thermostat
Ignition System □□□ECM 555 Digital Inductive
Starting □□□Electric (Turn key)
Gear Ratio DDD1.83:1
Gear Shift DDF-N-R
Steering    Remote
Alternator Amp [][]18
Alternator Watt [][]223
Trim System □□□Power trim
Exhaust System [][]Through prop
Lubrication System [[[]]Integrated Wet Sump
Fuel/ Ethanol Tolerance □□□87 Octane / Up to 10%
Recommended Oil □□□Mercury Synthetic Blend 25W-40
Fuel Induction System [][]2-Valve per Cylinder, Single Overhead Cam (SOHC)
Shaft Length (inches)    15
Shaft Length (mm) [[[]]381
Dry Weight (lbs.) [[[]247
Dry Weight (kg.) [[]112

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 07 5532 5812

Email: ian@trmarine.com.au

167 Currumburra Rd Ashmore Queensland 4214

Available Propellers [[][]Contact Mercury Racing SmartCraft [[][]Yes
Warranty [[][]None

**Features** 

Horse Power (hp) 60

**Engine Details** 

Engine Make Mercury
Horse Power 60

#### Disclaimer