

Phone: 07 5532 5812

Email: ian@trmarine.com.au

167 Currumburra Rd Ashmore Queensland 4214



Mercury MerCruiser 4.5L 250HP

POA

0

Specifications

Boat Details

Power Type

Price POA **Boat Brand** MERCURY MERCRUISER Mercury MerCruiser 4.5L 250HP Model Length 0.00 Year 2021 Category **Boat Engines and Outboards** Hull Style **Hull Type** Stock Number

New South Wales Condition State New

Suburb MCGRATHS HILL MerCruiser **Engine Make**

Disclaimer



Phone: 07 5532 5812

Email: ian@trmarine.com.au

167 Currumburra Rd Ashmore Queensland 4214

Description

The Next Generation featuring a host of engineering innovations, the 4.5L series establishes new standards for power-to-weight ratio, driver experience, acceleration, durability, and ease of maintenance.

HP / kW

• 250 / 184

Maximum RPM (WOT)

• 4800-5200

Engine type

• V6, 2-valve/cylinder pushrod

Displacement (L)

• 4.5

Bore and stroke

• 4.0 x 3.6" / 102 x 92 mm

Fuel requirement

- 90 RON 10% Ethanol Maximum
- Unleaded Regular 87 Octane Minimum (R+M/2)

Fuel delivery system

• Computer controlled Multi-Port Electronic Fuel Injection (MPI)

Air induction

• Performance-Tuned Scroll Intake Manifold

Ignition

• SmartCraft PCM 112 Digital Inductive

Alternator amp / Watt

• 70 amp / 882 watt (Belt-Driven)

Water drain system

- Air Actuated "Season Extender" (Bravo)
- Easy Drain "Season Extender" (Alpha)

Exhaust system

• Through prop

Cooling system

• Water cooled with thermostat; FWC available as factory option (Alpha) and packaged with SeaCore Drive (Bravo)

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 07 5532 5812

Email: ian@trmarine.com.au

167 Currumburra Rd Ashmore Queensland 4214

Lubrication system

• Integrated wet sump

Recommended oil

• NMMA Certified FCW 25W-40 Synthetic Blend

Dimensions (L x W x H)

• 28 x 30 x 22" / 696 x 740 x 559 mm

Weight (engine only)

• 756 lbs / 343 kg

Compatible drives

- Alpha
- Bravo One
- Bravo Three
- Bravo Two

Engine Details

Engine Make Horse Power MerCruiser

250