

Phone: 07 5532 5812

Email: ian@trmarine.com.au

167 Currumburra Rd Ashmore Queensland 4214



Mercury MerCruiser T6200 HO Towsport Inboard

POA

Specifications

Boat Details

Price POA Boat Brand MERCURY MERCRUISER
Model Mercury MerCruiser T6200 HO Towsport Length 0.00
Year 2023 Category Boat Engines and Outboards
Hull Style Hull Type

Power Type Stock Number 0

Condition New State New South Wales

Suburb MCGRATHS HILL Engine Make Mercury

Disclaimer



Phone: 07 5532 5812

Email: ian@trmarine.com.au

167 Currumburra Rd Ashmore Queensland 4214

Description

Mercury MerCruiser T6200 HO Towsport Inboard - A flawless blend of torque, pulling power, and launch propulsion. HP / kW

• 370 / 276

Maximum RPM (WOT

• 5000-5400

Displacement (L)

• 6.2

Engine Type

• V8, 2-valve/cylinder pushrod

Bore & Stroke

• 4.0 x 3.75" / 101.6 x 95.25 mm

Fuel Requirement

- 90 RON 10% Ethanol Maximum
- Unleaded Regular 87 Octane Minimum (R+M/2)

Engine Control System

- SmartCraft PCM 112 Digital Inductive
- Mechanical Shifting with Optional SmartCraft DTS

Fuel Delivery System

• Computer controlled Multi-Port Electronic Fuel Injection (MPI)

Starting

- Electric (turn-key)
- Smart Start Electric

Air Induction

• Performance-Tuned Scroll Intake Manifold

Ignition

• SmartCraft PCM 112 Digital Inductive

Alternator amp / Watt

• Fully regulated belt-driven 70 amp (882 watt)

Water Drain System

• Air actuated + two-plug manual drain "Season Extender"

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 07 5532 5812

Email: ian@trmarine.com.au

167 Currumburra Rd Ashmore Queensland 4214

Exhaust System

• Through transom

Cooling System

- Water-cooled with thermostat
- Optional: Fresh Water Cooling (Closed Cooling)

Lubrication System

• Integrated wet sump

Recommended Oil

• NMMA Certified FCW 25W-40 Synthetic Blend

Engine Guardian System

• SmartCraft Engine Guardian

Gear shift

• F-N-R

Transmission and Ratio

• 45 C: 1.0:1 • 45 IV: 1.46:1

Dimensions (LxWxH) in

• 32 x 30 x 22" / 813 x 762 x 559 mm

Weight (engine only)

•862 lbs / 391 kg

Engine Details

Engine Make Horse Power Mercury 370

Disclaimer